




**BANJO COUPLING WITH ALLOW SCREW AND ELASTOMER SEAL Thread BSP Parallel**

Type: **1013...1** Only Body




Type: **1013..** B3 Ring

Type: **1013...4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
LL	100	101301.1	101301	4	1/8	18	14	18,5	10,5	8	24	17	17	10	-
		101302.1	101302	6	1/8	18	12,5	18,5	10,5	8	24	17	17	12	-
		101303.1	101303	8	1/8	19	13,5	18,5	10,5	8	25	17	17	14	-
L	315	101304.1	101304	6	1/8	19	12	18,5	10,5	8	27	17	17	14	101304.4
		101305.1	101305	8	1/4	21,5	14,5	25	14	12	29,5	22	19	17	101305.4
		101306.1	101306	10	1/4	22,5	15,5	25	14	12	30,5	22	19	19	101306.4
		101307.1	101307	12	3/8	25	18	30	16,5	12	33	27	24	22	101307.4
		101308.1	101308	15	1/2	29	22	37,5	21,5	14	37	32	30	27	101308.4
		101309.1	101309	18	1/2	29	21,5	37,5	21,5	14	38	32	30	32	101309.4
	160	101310.1	101310	22	3/4	34	26,5	44	24	16	43	41	36	36	101310.4
		101311.1	101311	28	1	38,5	31	55,5	30,5	18	47,5	50	46	41	101311.4
		101312.1	101312	35	1 1/4	45,5	35	65,5	35,5	20	56,5	60	55	50	101312.4
		101313.1	101313	42	1 1/2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101313.4
S	630	101314.1	101314	6	1/4	23,5	16,5	25	14	12	31,5	22	19	17	101314.4
		101315.1	101315	8	1/4	23,5	16,5	25	14	12	31,5	22	19	19	101315.4
		101316.1	101316	10	3/8	26	18,5	30	16,5	12	35	27	24	22	101316.4
		101317.1	101317	12	3/8	26	18,5	30	16,5	12	35	27	24	24	101317.4
		101318.1	101318	14	1/2	31	23	37,5	21,5	14	41	32	30	27	101318.4
	400	101319.1	101319	16	1/2	31	22,5	37,5	21,5	14	41	32	30	30	101319.4
		101320.1	101320	20	3/4	36	25,5	44	24	16	47	41	36	36	101320.4
		101321.1	101321	25	1	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101321.4
		101322.1	101322	30	1 1/4	49,5	36	65,5	35,5	20	62,5	60	55	50	101322.4
		315	101323.1	101323	38	1 1/2	56,5	40,5	75,5	40,5	22	71,5	70	60	60

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**  
Articles not included in ISO 8434-1 norm

**BANJO COUPLING WITH ALLOW SCREW AND ELASTOMER SEAL Thread Metric Parallel**Type: **1014...1** Only BodyType: **1014...3** B3 RingType: **1014...4** B4 Ring

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
LL	100	101401.1	101401	4	8x1	18	14	18,5	10,5	8	24	17	14	10	-
		101402.1	101402	6	10x1	18	12,5	18,5	10,5	8	24	17	17	12	-
		101403.1	101403	8	10x1	19	13,5	18,5	10,5	8	25	17	17	14	-
L	315	101404.1	101404	6	10x1	19	12	18,5	10,5	8	27	17	17	14	101404.4
		101405.1	101405	8	12x1,5	21,5	14,5	25	14	12	29,5	22	19	17	101405.4
		101406.1	101406	10	14x1,5	22,5	15,5	25	14	12	30,5	22	19	19	101406.4
		101407.1	101407	12	16x1,5	25	18	30	16,5	12	33	27	24	22	101407.4
		101408.1	101408	15	18x1,5	29	22	33,5	18,5	12	37	32	27	27	101408.4
		101409.1	101409	18	22x1,5	29	21,5	37,5	21,5	14	38	32	30	32	101409.4
	160	101410.1	101410	22	26x1,5	34	26,5	44	24	16	43	41	36	36	101410.4
		101411.1	101411	28	33x2	38,5	31	55,5	30,5	18	47,5	50	46	41	101411.4
		101412.1	101412	35	42x2	45,5	35	65,5	35,5	20	56,5	60	55	50	101412.4
		101413.1	101413	42	48x2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101413.4
S	630	101414.1	101414	6	12x1,5	23,5	16,5	25	14	12	31,5	22	19	17	101414.4
		101415.1	101415	8	14x1,5	23,5	16,5	25	14	12	31,5	22	19	19	101415.4
		101416.1	101416	10	16x1,5	26	18,5	30	16,5	12	35	27	24	22	101416.4
		101417.1	101417	12	18x1,5	29	21,5	33,5	18,5	12	38	32	24	24	101417.4
		101418.1	101418	14	20x1,5	31	23	36	20	14	41	32	30	27	101418.4
	400	101419.1	101419	16	22x1,5	31	22,5	37,5	21,5	14	41	32	30	30	101419.4
		101420.1	101420	20	27x2	36	25,5	44	24	16	47	41	36	36	101420.4
		101421.1	101421	25	33x2	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101421.4
		101422.1	101422	30	42x2	49,5	36	65,5	35,5	20	62,5	60	55	50	101422.4
		315	101423.1	101423	38	48x2	56,5	40,5	75,5	40,5	22	71,5	70	60	60




**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**.  
Articles not included in ISO 8434-1 norm

**BANJO TEE COUPLING WITH ALLOW SCREW AND ELASTOMER SEAL**  
**Thread BSP Parallel - Thread Metric Parallel**

Type: **1015...1** Only Body  
 Type: **1016...1** Only Body

Type: **1015..** B3 Ring  
 Type: **1016..** B3 Ring

Type: **1015..4** B4 Ring  
 Type: **1016..4** B4 Ring



Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	G	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	101504.1	101504	6	1/8	19	12	18,5	10,5	8	27	17	17	14	101504.4
		101505.1	101505	8	1/4	21,5	14,5	25	14	12	29,5	22	19	17	101505.4
		101506.1	101506	10	1/4	22,5	15,5	25	14	12	30,5	22	19	19	101506.4
		101507.1	101507	12	3/8	25	18	30	16,5	12	33	27	24	22	101507.4
		101508.1	101508	15	1/2	29	22	37,5	21,5	14	37	32	30	27	101508.4
		101509.1	101509	18	1/2	29	21,5	37,5	21,5	14	38	32	30	32	101509.4
	160	101510.1	101510	22	3/4	34	26,5	44	24	16	43	41	36	36	101510.4
		101511.1	101511	28	1	38,5	31	55,5	30,5	18	47,5	50	46	41	101511.4
		101512.1	101512	35	1 1/4	45,5	35	65,5	35,5	20	56,5	60	55	50	101512.4
		101513.1	101513	42	1 1/2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101513.4
S	630	101514.1	101514	6	1/4	23,5	16,5	25	14	12	31,5	22	19	17	101514.4
		101515.1	101515	8	1/4	23,5	16,5	25	12	12	31,5	22	19	19	101515.4
		101516.1	101516	10	3/8	26	18,5	30	16,5	12	35	27	24	22	101516.4
		101517.1	101517	12	3/8	26	18,5	30	16,5	12	35	27	24	24	101517.4
		101518.1	101518	14	1/2	31	23	37,5	21,5	14	41	32	30	27	101518.4
	400	101519.1	101519	16	1/2	31	22,5	37,5	21,5	14	41	32	30	30	101519.4
		101520.1	101520	20	3/4	36	25,5	44	24	16	47	41	36	36	101520.4
		101521.1	101521	25	1	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101521.4
		101522.1	101522	30	1 1/4	49,5	36	65,5	35,5	20	62,5	60	55	50	101522.4
	315	101523.1	101523	38	1 1/2	56,5	40,5	75,5	40,5	22	71,5	70	60	60	101523.4

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**  
 Articles not included in ISO 8434-1 norm available on scheduled orders only

Serie	Bar	Ordering Body	Ordering Equipped B3	Ø Tube	M	L1	L2	L3	L4	L5	L6	CH1	CH2	CH3	Ordering Equipped B4
L	315	101604.1	101604	6	10x1	19	12	18,5	10,5	8	26	17	17	14	101604.4
		101605.1	101605	8	12x1,5	21,5	14,5	25	14	12	29,5	22	19	17	101605.4
		101606.1	101606	10	14x1,5	22,5	15,5	25	14	12	30,5	22	19	19	101606.4
		101607.1	101607	12	16x1,5	25	18	30	16,5	12	33	27	24	22	101607.4
		101608.1	101608	15	18x1,5	29	22	33,5	18,5	12	37	32	27	27	101608.4
		101609.1	101609	18	22x1,5	29	21,5	37,5	21,5	14	38	32	30	32	101609.4
	160	101610.1	101610	22	26x1,5	34	26,5	44	24	16	43	41	36	36	101610.4
		101611.1	101611	28	33x2	38,5	31	55,5	30,5	18	47,5	50	46	41	101611.4
		101612.1	101612	35	42x2	45,5	35	65,5	35,5	20	56,5	60	55	50	101612.4
		101613.1	101613	42	48x2	50,5	39,5	75,5	40,5	22	62,5	70	60	60	101613.4
S	630	101614.1	101614	6	12x1,5	23,5	16,5	25	14	12	31,5	22	19	17	101614.4
		101615.1	101615	8	14x1,5	23,5	16,5	25	14	12	31,5	22	19	19	101615.4
		101616.1	101616	10	16x1,5	26	18,5	30	16,5	12	35	27	24	22	101616.4
		101617.1	101617	12	18x1,5	29	21,5	33,5	18,5	12	38	32	27	24	101617.4
		101618.1	101618	14	20x1,5	31	23	36	20	14	41	32	30	27	101618.4
	400	101619.1	101619	16	22x1,5	31	22,5	37,5	21,5	14	41	32	30	30	101619.4
		101620.1	101620	20	27x2	36	25,5	44	24	16	47	41	36	36	101620.4
		101621.1	101621	25	33x2	42,5	31,5	55,5	30,5	18	54,5	50	46	46	101621.4
		101622.1	101622	30	42x2	49,5	36	65,5	35,5	20	62,5	60	55	50	101622.4
315	101623.1	101623	38	48x2	56,5	40,5	75,5	40,5	22	71,5	70	60	60	101623.4	

**Note:** If you wish to order a fitting in stainless steel, please change the first two digit from **10..** to **11..**  
 Articles not included in ISO 8434-1 norm available on scheduled orders only